

Health Monitoring Report for Mice

Institution: Harvard University Faculty of Arts and Sciences

Date: 15 June 2021

Microbiological Entity/Unit

Building: BRI

Room(s): POD 1; 1111, 1114, 1102

Genome Modification Facility


Entity/Unit type (mark the correct type) :

Conventional

Barrier

Isolator

Other



Contact person (name, e-mail, phone)

Dr. Kathleen Pritchett-Corning, pritchettcorning@fas.harvard.edu, +1 617 384 6642

Testing Results:

Testing Results:				Most recent tests		Historical results	
				Tested subject		Collected over 18 months	
	Testing Laboratory	Testing method	(sentinel, colony animal, environmental, etc.)	No. positives/	No. positives/	Testing frequency	
				Date	No. tested		No. tested
Viruses :							
Ectromelia virus ¹	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
Hantaviruses	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
K virus				Not tested			
Lactate dehydrogenase elevating virus				Not tested			
Lymphocytic choriomeningitis virus ¹	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
Mouse adenovirus (type 1) ¹	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
Mouse adenovirus (type 2) ¹	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
Mouse cytomegalovirus				Not tested			
Mouse hepatitis virus ¹	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
Mouse norovirus ¹	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
Mouse rotavirus ¹	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
Mouse thymic virus				Not tested			
Parvovirus ¹	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
- NS1				Not tested			
- MPV ¹	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
- MVM ¹	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
Polyoma virus				Not tested			
Pneumonia virus of mice ¹	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
Reovirus type 3 ¹	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
Sendai virus ¹	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
Theiler's murine encephalomyelitis virus ¹	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly

Bacteria & fungi:

β-hemolytic <i>Streptococcus</i> spp. (not group D) ¹	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
<i>Bordetella bronchiseptica</i>	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
<i>Bordetella hinzii</i>	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
<i>Campylobacter</i> spp.	CRL	PCR	Environment	15-Jun-21	0/10	0/64	Quarterly
Cilia-associated respiratory bacillus	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
<i>Citrobacter rodentium</i> ¹	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
<i>Clostridium piliforme</i> ¹	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
<i>Corynebacterium bovis</i>	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
<i>Corynebacterium kutscheri</i> ¹	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
<i>Helicobacter</i> spp. ¹	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
<i>Klebsiella oxytoca</i>	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly

1: The 2014 FELASA recommendations include these agents.

* Agents formerly known as *Pasteurella pneumotropica*, Heyl and Jawetz

Health Monitoring Report for Mice


Institution: Harvard University Faculty of Arts and Sciences

Date: 15 June 2021

Microbiological Entity/Unit

Building: BRI

Room(s): POD 1; 1111, 1114, 1102



Testing Results (continued):

Testing Results (continued):				Most recent tests		Historical results	
				Tested subject		Collected over 18 months	
Testing Laboratory	Testing method	(sentinel, colony animal, environmental, etc.)	Date	No. positives/ No. tested		No. positives/ No. tested	Testing frequency
Bacteria & fungi (continued)							
<i>Klebsiella pneumoniae</i>	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
<i>Mycoplasma pulmonis</i> ¹	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
<i>Rodentibacter heylii</i> ^{1*}	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
<i>Rodentibacter pneumotropicus</i> ^{1*}	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
<i>Proteus mirabilis</i>	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
<i>Pseudomonas aeruginosa</i>	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
<i>Pneumocystis murina</i>	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
<i>Salmonella</i> spp. ¹	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
<i>Staphylococcus aureus</i>	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
<i>Streptobacillus moniliformis</i> ¹	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
<i>Streptococcus pneumoniae</i> ¹	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly

Parasites¹:

Mites

<i>Demodex musculi</i>	CRL	PCR	Environment	15-Jun-21	0/10	0/64	Quarterly
<i>Myobia musculi</i>	CRL	PCR	Environment	15-Jun-21	0/10	0/64	Quarterly
<i>Myocoptes musculinus</i>	CRL	PCR	Environment	15-Jun-21	0/10	0/64	Quarterly
<i>Radfordia affinis</i>	CRL	PCR	Environment	15-Jun-21	0/10	0/64	Quarterly

Pinworms

<i>Aspiculuris tetraptera</i>	CRL	PCR	Environment	15-Jun-21	0/10	0/64	Quarterly
<i>Syphacia oblevata</i>	CRL	PCR	Environment	15-Jun-21	0/10	0/64	Quarterly

Protozoan

<i>Cryptosporidium</i> spp.	CRL	PCR	Environment	15-Jun-21	0/10	0/64	Quarterly
<i>Entamoeba muris</i>	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
<i>Giardia muris</i>	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
<i>Spironucleus muris</i>	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly
<i>Trichomonas muris</i>	CRL	PCR	Environment	15-Jun-21	0/11	0/64	Quarterly

Additional agents for which testing has been performed:

Pathology:

Additional comments:

Please contact the facility for further information on opening and closing of rooms in this pod.

1: The 2014 FELASA recommendations include these agents.

* Agents formerly known as *Pasteurella pneumotropica*, Heyl and Jawetz